

NOVAPAC NEWS

Product-flexible filling line for 24 different types of cereal for MY MUESLI Germany

Featuring the NOVACUP RS 150-2 cup filling and sealing machine, 2-lane servo version



Machine details:

- Servo-driven system (ELAU/Schneider)
- 2 lane configuration
- Output : 3.000 cups / hour
- Cup diameter 95 mm
- Sealed by snap-on lid
- 1 mobile 8 lane multihead weigher for 24 cereal products
- 2 elevators for infeed of 2 different products

CONTACT:

Wolfgang Natterer

Telephone: +49- 7520-9969-512

wolfgang.natterer@novapac.de

Packaging solutions for the future

NOVAPAC NEWS



NOVACUP RM 240-4 product-flexible filling line for yoghurt / muesli products for TAMAR FOODS Australia



Maschine details:

- Output: 12.000 packages / hour
- Formats:
 - Single chamber cups, diameter 95 mm
 - Dual chamber cups diameter 95 mm
- 4 lane configuration
- Servo piston filler for fruit
- Servo piston filler for yoghurt
- 4-fold volumetric cereal filler
- Sealing lids and snap-on lids
- Including CIP station

CONTACT:

Wolfgang Natterer

Telephone: +49- 7520-9969-512

wolfgang.natterer@novapac.de



Packaging solutions for the future

NOVAPAC NEWS

NOVACUP RM 200 – 4 product-flexible cup filling and sealing machine for 250 g butter for OMIRA, Germany

Featuring the NOVACUP RM 200-4 cup filling and sealing machine, 4 lane configuration



Machine details:

- Mechanically driven
- With cam discs
- 4 lane configuration
- Output : 12.000 cups / hour
- Cup dimensions 120 x 80 x 45 mm for 250 g butter
- Sealed by snap-on lid
- 4-fold piston filler, mechanical

CONTACT:

Wolfgang Natterer

Telephone: +49- 7520-9969-512

wolfgang.natterer@novapac.de



Packaging solutions for the future

NOVAPAC NEWS



Product-flexible end-of-line packaging machine for wraparound cases for OMIRA, Germany

Servo-driven, stainless steel wraparound packer for 5 x 2 x 2 layer case configuration



Machine details:

- Servo-driven system (ELAU/ Schneider)
- Machine type: Wraparound packer
- NOVAWRAP 20 S
- Output : 250 cups / minute
- 1 infeed conveyor with automatic forming station for 5 x 2 x 2 layer configuration
- Infeed of 2 different products as required

CONTACT:

Wolfgang Natterer

Telephone: +49- 7520-9969-512

wolfgang.natterer@novapac.de



Packaging solutions for the future

NOVAPAC NEWS



Flexible high-performance thermoforming, filling and sealing machine

NOVAFFS HS 80 for yoghurt with fruit in one or two layer multipack cases in 2 x 2 or 2 x 3 configuration.



Machine details:

- Stainless steel version
- Work stations in 6-lane, 2-row configuration for 150 g and 175 g
- 2 servo-driven piston fillers 12-fold for filling yoghurt and fruit
- Multipack machine for case packing in one or two layers in 2 x 2 and 2 x 3 configuration
- Output: 240 packages / minute
- Film material: PS / PE and aluminium top web material

CONTACT:

Wolfgang Natterer

Telephone: +49- 7520-9969-512

wolfgang.natterer@novapac.de



Packaging solutions for the future

NOVAPAC NEWS

Product-flexible cup filling and sealing machine
NOVACUP LS 180-4, servo version for 500 gr margarine

Featuring the NOVACUP LS 180 -4, 4-lane version



Machine details:

- Stainless steel construction
- Servo-driven system with ELAU / Schneider equipment
- 1 servo-driven piston filler, 4-fold configuration for dosing margarine
- Output: 12.000 packages / hour
- Sealed by snap-on lid
- Automatic cup loading

CONTACT:

Wolfgang Natterer

Telephone: +49- 7520-9969-512

wolfgang.natterer@novapac.de



Packaging solutions for the future

NOVAPAC NEWS

**Flexible high performance cup filling sealing machine
with 6 external servo-driven filling units**

NOVACUP RM 240-6 for yoghurt / fruit topping in 6-lane format
configuration for 125 gr packages



Machine details:

- Stainless steel construction
- 6-lane configuration for 125 gr yoghurt / topping
- 1 servo-driven piston filler , 6-fold configuration for dosing yoghurt and fruit
- For 6 different flavours
- Output: 14.000 packages / hour
- Sealing by off the roll sealing lids, 6-fold
- 12-fold packer in 2 x 3 and 2 x 2 configuration
- 2-fold tray de-stacking station

CONTACT:

Wolfgang Natterer

Telephone: +49- 7520-9969-512

wolfgang.natterer@novapac.de



Packaging solutions for the future

NOVAPAC NEWS

**Flexible high performance cup filling and sealing machine
fully servo-driven with 4 different formats**

NOVACUP RS 150-2 for dips, ready-made salads in 2-lane format
configuration for 150 gr , 200 gr packages



Machine details:

- Stainless steel construction
- 2-lane configuration for 500 gr dips, ready-made salads
- 2 servo-driven piston fillers in 2-lane configuration for dosing dips
- Output: 5.000 packages / hour
- Sealing lid and snap-on lid

CONTACT:

Wolfgang Natterer

Telephone: +49- 7520-9969-512

wolfgang.natterer@novapac.de



Packaging solutions for the future

NOVAPAC NEWS



Flexible high performance thermoforming, filling and sealing machine with CP 200 servo-driven case packer

NOVAFFS HS 80 for 10 gr butter / jam in 4-lane, 5-row configuration with automatic case packing unit 20-fold for 100 packages per case



Machine details:

- Stainless steel construction
- 4-lane, 5-row configuration for 10 gr and 20 gr
- 1 servo-driven piston filler, 20-fold for dosing butter and jam
- Output: 28.800 packages / hour
- Case packer 20-fold

CONTACT:

Wolfgang Natterer

Telephone: +49- 7520-9969-512

wolfgang.natterer@novapac.de



Packaging solutions for the future

NOVAPAC NEWS



Flexible high performance thermoforming, filling and sealing machine with case erector, case sealers and palletizers

NOVAFFS HS 80 for mineral water 6-lane, 4-row configuration with automatic case packer in 6 x 3 configuration in one, two or three layers.



Machine details:

- Stainless steel construction
- 6-lane, 4-row configuration for 200 ml, 150 ml, 100 ml , 250 ml
- 1 servo-driven piston filler, 24-fold for dosing mineral water
- Output: 24.000 packages / hour
- Case erector and sealer
- 18-fold case packer
- 24-fold transfer unit
- Palletizer for euro pallets

CONTACT:

Wolfgang Natterer

Telephone: +49- 7520-9969-512

wolfgang.natterer@novapac.de

Packaging solutions for the future

NOVAPAC NEWS



**Flexible high performance forming, filling and sealing machine
With 2 servo-driven piston fillers and 4-fold gravimetric filler**

NOVAFFS HS 80 for yoghurt / muesli / fruit in 6-lane, 2-row configuration with 3 filling units for yoghurt , fruit and cereals



Machine details:

- Stainless steel construction
- 6-lane, 2-row configuration for 125 gr , 150 gr, 100 gr
- 2 servo-driven piston fillers, 12-fold for filling yoghurt / fruit
- Output: 12.000 packages / hour
- 4-fold cereal filler
- 12-fold transfer unit
- Labelling unit for side labelling

CONTACT:

Wolfgang Natterer

Telephone: +49- 7520-9969-512

wolfgang.natterer@novapac.de

Packaging solutions for the future

NOVAPAC NEWS

Flexible high performance thermoforming, filling and sealing machine with one 4-fold servo-driven piston filler and 24-fold case packer

NOVAFFS LS 80 Compact for 14 gr jam in 4-lane, 1-row configuration with 1 filling unit for jam



Machine details:

- Stainless steel construction
- 4-lane, 1-row configuration for 14 gr jam
- 1 servo-driven piston filler, 4-fold
- Output: 6.000 packages / hour
- CP 200 case packer, 24-fold
- CIP station with 2 x 800 liter CIP tanks, with process pump for jam and CIP pipework

CONTACT:

Wolfgang Natterer

Telephone: +49- 7520-9969-512

wolfgang.natterer@novapac.de



Packaging solutions for the future

NOVAPAC NEWS

flexible high speed cup fill seal machine in full servo execution for 2 different format sets

NOVACUP RS 200-3 for rice pudding , Pasha Creme in 3 - lanes format configuration for 150 gr , 200 gr, 80 gr packages



Machine details:

- stainless steel version
- Machine performance in 3 lanes version for 80 gr , 150 gr , 200 gr rice cream ; Pasha Cream
- 1 pcs. Servo driven piston filling system in 3 lanes version for dosing of rice cream
- speed: 7.500 packages / hour
- Sealing with precut lid and snap on lids
- Sterilisation system L.O.G. 4 for cups and sealing lids
- Automatical loading of cup in 3-lanes version for 15 minutes

CONTACT:

Wolfgang Natterer

Telefon: +49- 7520-9969-512

wolfgang.natterer@novapac.de



Packaging solutions for the future

NOVAPAC NEWS



flexible high speed cup fill- and seal machine in pneumatical execution for 2 different format sets

NOVACUP RP 100-1 with multihead weigher in 1 - lanes format configuration for 150 gr and Top Cap design 20 gr packages



Machine details:

- stainless steel version
- Machine performance in 1 lanes version for 20 gr , 150 gr , choco balls, muesli in top cap design
- with mulithead weigher 8-fold for 20 gr – 150 gr
- speed: 2.000 packages / hour
- Sealing with precut lid and snap on lids
- Sealing for top cap with inside sealing rim

CONTACT:

Wolfgang Natterer

Telefon: +49- 7520-9969-512

wolfgang.natterer@novapac.de



Packaging solutions for the future

NOVAPAC NEWS



flexible high speed cup fill- and seal machine in mechanical execution for 2 different format sets

NOVACUP RM 200-4 with servo driven filling system in 4 - lanes format configuration for 150 gr , 250 gr , 4 x 25 gr design



Machine details:

- stainless steel version
- machine performance in 4 lanes version for 250 gr 150 gr and 4 x 25 gr cream cheese with particles
- speed: 10.000 packages / hour
- Sealing with precut lid and snap on lids
- Sealing with gas flushing station 4-fold
- Laminar flow sterile air hood for better hygienic conditions

CONTACT:

Wolfgang Natterer

Telefon: +49- 7520-9969-512

wolfgang.natterer@novapac.de




Packaging solutions for the future

NOVAPAC NEWS



**Product-flexible cup filling and sealing machine
NOVACUP LM 180-6, mechanical execution for chocolate
products for brands MILKA HEART / MILKA SHAMROCK**

Featuring the NOVACUP LM 180 -6, 6-lane version for two mentioned
format sets in CLICK Version and rollstock sealing features



Machine details:

- Stainless steel construction
- Mechanical driven with dynamic splitted cams
- 1 Pick and Place System in servodriven execution for loading of chocolate pieces
- 6 row configuration with two format sets
- automatical camera control system for products loading
- Vibration unit to control position of products
- Sealing rollstock station 6-fold with auto
- Shredder device for rest scrap of top film.
- Output: 10.000 packages / hour
- sealed by rollstock material PET 40 micron

CONTACT:

Wolfgang Natterer

Telephone: +49- 7520-9969-512

wolfgang.natterer@novapac.de



Packaging solutions for the future

NOVAPAC NEWS



flexible high speed cup fill- and seal machine in servo execution
for 3 different format sets in click version

NOVACUP RS 150-2 with servo driven filling system in 2 - lanes
format configuration for 150 gr , 250 gr , 500 gr , 1000 gr



Machine details:

- stainless steel version
- machine performance in 2 lanes version for 150 gr
250 gr , 500 gr, 1000 gr margarine / fat with pieces
- speed: 6.000 packages / hour
- piston dosing system in servo execution 2-fold
- Sealing with precut lid and snap on lids
- Sealing station in servo execution 2-fold
- Automatical loading of cups and snap on lids

CONTACT:

Wolfgang Natterer

Telefon: +49- 7520-9969-512

wolfgang.natterer@novapac.de



Packaging solutions for the future

NOVAPAC NEWS



flexible high speed cup fill- and seal machine in servo execution for 4 different format sets in click version

NOVACUP RS 200-4 with servo driven filling system in 4 - lanes format configuration for 200 gr , 250 gr , 500 gr , 600 gr , 900 gr



Machine details:

- stainless steel version
- machine performance in 4 lanes version for 200 gr , 250 gr , 500 gr , 600 gr , 900 gr margarine
- speed: 12.000 packages / hour
- piston dosing system in servo execution 4-fold
- Sealing with precut lid and snap on lids
- Special compensator for margarine

CONTACT:

Wolfgang Natterer

Telefon: +49- 7520-9969-512

wolfgang.natterer@novapac.de



Packaging solutions for the future

NOVAPAC NEWS



flexible high speed case packing unit typ NOVACASE TP 150-12 in servo execution for auto loading of cups with snap on lids

NOVACASE TP 150-12 for packing configuration 4 x 3 x 1 Layer and second format 2 x 3 x 1 layer for diameter 95 mm in open carton hole trays

Machine details:

- stainless steel version
- sucker axe in servo execution with special
- sucker head for cups with snap on lids
- speed: 7.000 packages / hour

CONTACT:

Wolfgang Natterer

Telefon: +49- 7520-9969-512

wolfgang.natterer@novapac.de



Packaging solutions for the future

NOVAPAC NEWS



Product-flexible end-of-line packaging machine for wraparound cases for OMIRA, Germany

Servo-driven, stainless steel wraparound packer for 4 x 3 x 4 layer case configuration



Machine details:

- Servo-driven system (ELAU/ Schneider)
- Machine type: Wraparound packer
- NOVAWRAP 20 S
- Output : 250 cups / minute
- 1 infeed conveyor with automatic forming station for 4 x 3 x 4 layer configuration and alternative formation
- 2 x 3 x 4 layer with second format

CONTACT:

Wolfgang Natterer

Telephone: +49- 7520-9969-512

wolfgang.natterer@novapac.de



Packaging solutions for the future

NOVAPAC NEWS



Flexible high performance thermoforming, filling and sealing machine with multi head weighing system for salted sticks of 125 gr in single and double chamber design

NOVAFFS HS 80 for automatical filling of salted sticks via multihead weighing system in formation 2 lanes – 2 rows for 125 gr packs



Machine details:

- Stainless steel construction
- 2-lane, 2-row configuration for 125 gr cups in single or double chamber design
- Machine specially designed to run PP materials on this machinery
- Vibration unit for exact positioning of sticks
- Blow out station for salt to protect the sealing surfaces
- Output: 5.000 packages / hour
- Perforation station to cut the double chamber cup design

CONTACT:

Wolfgang Natterer

Telephone: +49- 7520-9969-512

wolfgang.natterer@novapac.de



Packaging solutions for the future

NOVAPAC NEWS

Flexible high performance thermoforming and and sealing machine for manual loading of product inside thermoformed cup

NOVAFFS LS 80 for manual packaging of several products inside a blister cup with an eurohole to position the blister in the supermarket



Machine details:

- Stainless steel construction
- 2-lane, 1-row configuration cups in single chamber design
- Output: 3.000 packages / hour
- Perforation station to cut an euro hole inside the blister cup to prepare the
- Blister for supermarket selling

CONTACT:

Wolfgang Natterer

Telephone: +49- 7520-9969-512

wolfgang.natterer@novapac.de

Packaging solutions for the future



NOVAPAC NEWS

Flexible high performance thermoforming, filling and sealing machine with CP 200 servo-driven case packer

NOVAFFS HS 80 for 10 gr honey / chocolate / jam in 4-lane, 5-row configuration with automatic case packing unit 20-fold for 100 packages per case



Machine details:

- Stainless steel construction
- 4-lane, 5-row configuration for 10 gr and 20 gr
- 1 servo-driven heated piston filler, 20-fold for dosing honey, chocolate and jam
- Carton erector and carton closer hotmelt version and check weigher
- Output: 28.800 packages / hour
- Case packer 20-fold

CONTACT:

Wolfgang Natterer

Telephone: +49- 7520-9969-512

wolfgang.natterer@novapac.de



Packaging solutions for the future

NOVAPAC NEWS



flexible high speed cup fill- and seal machine in pneumatical execution for 2 different format sets in click version

NOVACUP RP 200-2 with pneumatical driven filling system in 2 - lanes format configuration for 1000 gr , 2500 gr margarine



Machine details:

- stainless steel version
- machine performance in 2 lanes version for
- 1000 gr , 2500 gr margarine
- speed: 4.000 packages / hour
- piston dosing system 2-fold
- Sealing with precut lid and snap on lids
- Special compensator for margarine

CONTACT:

Wolfgang Natterer

Telefon: +49- 7520-9969-512

wolfgang.natterer@novapac.de



Packaging solutions for the future

NOVAPAC NEWS



flexible high speed cup fill- and seal machine in pneumatical execution for 2 different format sets in click version

NOVACUP RP 130-2 with pneumatical driven filling system in 2 - lanes format configuration for 150 gr, 250 gr margarine



Machine details:

- stainless steel version
- machine performance in 2 lanes version for
- 150 gr , 250 gr margarine
- speed: 4.500 packages / hour
- piston dosing system 2-fold
- Sealing with precut lid and snap on lids
- Special compensator for margarine

CONTACT:

Wolfgang Natterer

Telefon: +49- 7520-9969-512

wolfgang.natterer@novapac.de



Packaging solutions for the future

NOVAPAC NEWS

flexible high speed cup fill- and seal machine in mechanical execution for 4 different format sets in click version

NOVACUP RM 150-2 with servo driven filling system in 2 - lanes format configuration for 150 gr, 250 gr and 4 x 20 gr cream cheese or drinking yoghurt



Machine details:

- stainless steel version
- machine performance in 2 lanes version for 150 gr , 250 gr and 4 x 20 gr cream cheese
- speed: 5.000 packages / hour
- piston dosing system 2-fold
- Sealing with precut lid and snap on lids
- laminar flow air hood for better hygienic conditions

CONTACT:

Wolfgang Natterer

Telefon: +49- 7520-9969-512

wolfgang.natterer@novapac.de



Packaging solutions for the future

NOVAPAC NEWS



flexible high speed cup fill- and seal machine in pneumatical execution for 1000 gr Butter in click format version

NOVACUP RP 130-1 with pneumatical driven filling system in 1 - lanes format configuration for 1000 gr butter



Machine details:

- stainless steel version
- machine performance in 1 lane version for 1000 gr butter
- speed: 2.000 packages / hour
- piston dosing system 2-fold
- Sealing with precut lid and snap on lids
- Special compensator for butter

CONTACT:

Wolfgang Natterer

Telefon: +49- 7520-9969-512

wolfgang.natterer@novapac.de



Packaging solutions for the future

NOVAPAC NEWS



flexible high speed cup fill- and seal machine in pneumatical execution for 3 different format sets in click version

NOVACUP RP 160-1 with pneumatical driven filling system in 1 - lane format configuration for 500 gr, 1000 gr , 2000 gr sauces



Machine details:

- stainless steel version
- machine performance in 1 lanes version for
- 500 gr , 1000 gr , 2000 gr sauces , liquids
- speed: 1.800 packages / hour
- piston dosing system 2-fold
- Sealing with precut lid and snap on lids
- External destacking station 1-fold with cycled conveyor belt for auto loading via multihead weigher or manuel loading of products

CONTACT:

Wolfgang Natterer

Telefon: +49- 7520-9969-512

wolfgang.natterer@novapac.de



Packaging solutions for the future

NOVAPAC NEWS



flexible high speed cup fill- and seal machine in mechanical execution for 2 different format sets in click version

NOVACUP RM 150-2 with mechanical driven filling system in 2 - lanes format configuration for 150 gr , 250 gr yoghurts



Machine details:

- stainless steel version
- machine performance in 2 lanes version for
- 150 gr , 250 gr yoghurts
- speed: 5.000 packages / hour
- piston dosing system 2-fold
- Sealing with precut lid and snap on lids
- Laminar flow air hood for better hygienic conditions

CONTACT:

Wolfgang Natterer

Telefon: +49- 7520-9969-512

wolfgang.natterer@novapac.de



Packaging solutions for the future

NOVAPAC NEWS



flexible high speed jar / bottle fill- and closing machine in servo driven execution for 3 different format parts

NOVAJAR WS 1 with flow meter filling system 1-fold in 1 – lanes format configuration for 3 different sizes of jar or bottles

Machine details:

- stainless steel version
- machine performance in 1 lanes version for
- For three different lastic jars / bottles
- speed: 1.800 bottles / jars per hour
- Movable flow meter dosing system for liquids 1-fold with pressurized hopper 15 ltr.

CONTACT:

Wolfgang Natterer

Telefon: +49- 7520-9969-512

wolfgang.natterer@novapac.de



Packaging solutions for the future

NOVAPAC NEWS



flexible high speed jar closing machine in mechanical execution for 3 different format sets for screwed caps

NOVAJAR WP 3 with mechanical driven closing machine for 3 different bottle sizes



Machine details:

- stainless steel version
- machine performance in 1 lanes version for three different bottles sizes
- speed: 1.800 jars / bottles per hour
- Automatical feeding system for screwed cap from bunker system with special conveyer belt system and sorting device for caps

CONTACT:

Wolfgang Natterer

Telefon: +49- 7520-9969-512

wolfgang.natterer@novapac.de



Packaging solutions for the future

NOVAPAC NEWS



Flexible high performance thermoforming, filling and sealing machine with CP 200 servo-driven case packer

NOVAFFS HS 80 for 10 gr margarine in 4-lane, 5-row configuration with automatic case packing unit 20-fold for 100 packages per case

Machine details:


- Stainless steel construction
- 4-lane, 5-row configuration for 10 gr margarine
- 1 servo-driven piston filler, 20-fold for dosing of margarine
- Output: 28.800 packages / hour
- Case packer 20-fold

CONTACT:

Wolfgang Natterer

Telephone: +49- 7520-9969-512

wolfgang.natterer@novapac.de



Packaging solutions for the future

NOVAPAC NEWS



Flexible high performance thermoforming, filling and sealing machine for two format sets for cream cheese 4 x 25 gr and 100 gr

NOVAFFS LS 80 for 4 x 25 gr , 100 gr , 150 gr cream cheese in 4-lane, 2-row with perforation station of multipacks of 4



Machine details:

- Stainless steel construction
- 4-lane, 2-row configuration for 4 x 25 gr and 100 g , 150 gr cream cheese
- 1 servo-driven piston filler, 8-fold for dosing of cream cheese with heated hopper 60 ltr.
- Cutting station with cross and length perforation to cut multipacks of 4
- Output: 10.000 packages / hour

CONTACT:

Wolfgang Natterer

Telephone: +49- 7520-9969-512

wolfgang.natterer@novapac.de



Packaging solutions for the future

NOVAPAC NEWS



flexible high speed cup fill- and seal machine in pneumatical execution for 200 gr cream cheese in click format version with different format sets

NOVACUP RP 130-1 with pneumatical driven filling system in 1 - lanes format configuration for 200 gr cream cheese



Machine details:

- stainless steel version
- machine performance in 1 lane version for 200 gr cream cheese
- speed: 2.400 packages / hour
- pneumatical piston dosing system 1-fold
- sealing with precut lid and snap on lids
- special sealing formation for reclosable sealing lid

CONTACT:

Wolfgang Natterer

Telefon: +49- 7520-9969-512

wolfgang.natterer@novapac.de



Packaging solutions for the future

NOVAPAC NEWS



flexible high speed cup fill- and seal machine in mechanical execution for 200 gr cream cheese , salads in click format version with different format sets

NOVACUP RM 150-2 with mechanical driven filling system in 2 - lanes format configuration for 100 g, 200 gr and 250 gr cream cheese and italian salads



Machine details:

- stainless steel version
- machine performance in 2 lane version for
- 100 g, 200 gr and 250 gr cream cheese,
- italian salads
- speed: 5.000 packages / hour
- Mechanical piston dosing system 2-fold
- sealing with precut lid and snap on lids
- Laminar flow sterile air hood and special hopper for easy loading via EURO BIN system

CONTACT:

Wolfgang Natterer

Telefon: +49- 7520-9969-512

wolfgang.natterer@novapac.de



Packaging solutions for the future

NOVAPAC NEWS



Flexible high performance thermoforming, filling and sealing machine for multipacks of 12 for 125 gr yoghurt

NOVAFFS LS 80 for multipacks of 12 for 125 gr yoghurt with perforation station of multipacks



Machine details:

- Stainless steel construction
- 4-lane, 3-row configuration for 12 x 125 gr yoghurt
- 1 servo-driven piston filler 12-fold for dosing of yoghurt and yoghurt milk , juices with standard hopper 60 ltr.
- Cutting station with cross and length perforation to cut multipacks of 12 for easy break for single cups
- Output: 15.000 packages / hour

CONTACT:

Wolfgang Natterer

Telephone: +49- 7520-9969-512

wolfgang.natterer@novapac.de



Packaging solutions for the future

NOVAPAC NEWS



Flexible high performance thermoforming, filling and sealing machine for hand loaded cups like meat or cheese

NOVAFFS LS 80 for thermoformed cup under vacuum and gas flushing for longer shelf life of products with three format sets



Machine details:

- Stainless steel construction
- 4-lane, 2-row configuration for 125 gr , 500 gr block cheese products
- Vacuum and gas flushing station for longer shelf life
- Cross and length cutting station for flexible
- Or rigid films with scrap web cutter oder
- Suction device
- Output: 2.000- 4.000 packages / hour

CONTACT:

Wolfgang Natterer

Telephone: +49- 7520-9969-512

wolfgang.natterer@novapac.de



Packaging solutions for the future

NOVAPAC NEWS

flexible high speed cup fill- and seal machine in mechanical execution for 250 gr delicatessen salads, italian salads in click format version with different format sets

NOVACUP RM 150-1 with mechanical driven filling system in 1 - lanes format configuration for 250 g delicatessen salad , italian salads



Machine details:

- stainless steel version
- machine performance in 1 lanes version for three different format sizes
- speed: 2.800 cups per hour
- Automatical feeding system for cups
- For a time of 15 minutes
- Easy dismantable filling system
- moveable 120 ltr. hopper for easy loading of products via EURO BIN system
- Check weigher with metal dectector system

CONTACT:

Wolfgang Natterer

Telefon: +49- 7520-9969-512

wolfgang.natterer@novapac.de



Packaging solutions for the future

NOVAPAC NEWS



flexible high speed cup fill- and seal machine in pneumatical execution for 300 gr carré frais in click format version with one format set

NOVACUP RP 160-2 with pneumatical driven filling system in 2 - lanes format configuration for 300 g carré frais / special cream cheese



Machine details:

- stainless steel version
- machine performance in 2 lanes version for one format size
- speed: 1.800 cups per hour
- extended feeding system for cups in two rows version for a time of 7-8 minutes
- Sealing station 2-fold for rollstock materials
- Gas flsuhing station 2-fold for rest oxygiene of only 1,5 %
- Heated hopper 60 ltr. with special agitator for smooth product handling

CONTACT:

Wolfgang Natterer

Telefon: +49- 7520-9969-512

wolfgang.natterer@novapac.de



Packaging solutions for the future

NOVAPAC NEWS



flexible high speed filling machine in mechanical execution for 10 – 500 gr dry products like choco balls , muesli or other food products

NOVAWEIGH 3 in 3 lanes version for different dry products in movable version



Machine details:

- machine performance in 3 lanes version for
- one format size for diameter 95 mm
- speed: 1.800 cups per hour
- vibration chute in 3 lanes version
- Dosing range: 10 – 500 gr
- Dosing accuracy : 1- 2 gr depending on product
- Touch Screen display with row control for each chute
- movable version dockable on other machines
- 3 x 15 ltr. hopper for three different products
- Low / high level sensor for product control

CONTACT:

Wolfgang Natterer
Telefon: +49- 7520-9969-512
wolfgang.natterer@novapac.de



Packaging solutions for the future