

NOVAPAC NEWS



Product-flexible end-of-line packaging machine for wraparound cases for OMIRA, Germany

Servo-driven, stainless steel wraparound packer for 5 x 2 x 2 layer case configuration



Machine details:

- Servo-driven system
- (ELAU/ Schneider
- Machine type: Wraparound packer NOVAWRAP 20 S
- Output : 250 cups / minute
- 1 infeed conveyor with automatic forming station for 5 x 2 x 2 layer configuration
- Infeed of 2 different products as required

CONTACT:

Wolfgang Natterer
Telephone: +49-7520-9669-512
wolfgang.natterer@novapac.de



Packaging solutions for the future

NOVAPAC NEWS

Flexible high speed case packing unit NOVACASE TP 150-12 in servo execution for auto loading of cups with snap on lids

NOVACASE TP 150-12 for packing configuration 4 x 3 x 1 layer and second format 2 x 3 x 1 layer for diameter 95 mm in open carton hole trays



Machine details:

- Stainless steel version
- Sucker axe in servo execution with special sucker head for cups with snap-on lids
- Output: 7.000 packages / hour

CONTACT:

Wolfgang Natterer
Telephone: +49-7520-9669-512
wolfgang.natterer@novapac.de



Packaging solutions for the future

NOVAPAC NEWS



Product-flexible end-of-line packaging machine for wraparound cases for OMIRA, Germany

Servo-driven, stainless steel wraparound packer for 4 x 3 x 4 layer case configuration



Machine details:

- Servo-driven system (ELAU/ Schneider)
- Machine type: Wraparound packer NOVAWRAP 20 S
- Output : 250 cups / minute
- 1 infeed conveyor with automatic forming station for 4 x 3 x 4 layer configuration and alternative formation
- 2 x 3 x 4 layer with second format

CONTACT:

Wolfgang Natterer
Telephone: +49-7520-9669-512
wolfgang.natterer@novapac.de




Packaging solutions for the future

NOVAPAC NEWS



Product-flexible end-of-line packaging machine for wraparound cases for margarine 250 gr, 500 gr and 1000 gr

Servo-driven, stainless steel wraparound packer for 2 x 3 x 5 layer case configuration and 2 x 2 x 2 layer case configuration



Machine details:

- Servo-driven system (Alan Bradley/ Rockwell)
- Machine type: Wraparound packer NOVAWRAP 20 S
- Output : 300 cups / minute
- 2 lane infeed conveyor with automatic formation station for 2 x 3 x 5 layer configuration and alternative formation 2 x 3 x 2 layer with second format

CONTACT:

Wolfgang Natterer
Telephone: +49-7520-9669-512
wolfgang.natterer@novapac.de



Packaging solutions for the future